



Impact Booth



Design
Manufacture
Create

Small Booth

Your quiet space for undisturbed phone calls and deep work.




Tech Specs


Small

Capacity	1 Person
Internal Dimensions (mm)	840w x 950d x 2140h
External Dimensions (mm)	2200w x 2186d x 2300h
Glass panels	Double laminated (6mm + 1mm + 4mm)
Door	855mm wide glass door with handle, Door type: Swing
Furniture Options	Wall-mounted laminated timber veneer shelf & swivel stool
GPO USB Data	Wall-mounted: x2 GPO, 1 x USB C and 1x USB
Lighting	1 x 16W LED – 3000k, CRI95+
Ventilation & Airflow	Variable speed fan with integrated acoustic cover
Lighting & Ventilation Operation	Motion sensor with variable speed fan control
Power Usage	10.8 watts
Weight	246kg
Acoustic Treatment	27mm bevel edge acoustic panels (dark grey) Acoustically treated exhaust port and acoustic cover to fan ports

Dimensions



Furniture Options



Regular Table

Table size: 1340 x 400 x 30 mm (height, width, depth).
Material: Birch multi-layer board Dipping kraft paper fireproof board. **Surface Treatment:** Edge Sealed with Wood Wax Oil.



Height Adjustable Seat

Material: Standard black fabric upholstery with gas lift foot rest, Polycarbonate shell and black vinyl covered cushion.
Surface Treatment: Spray paint, black or white.

Seat Measurements



Colours

Exterior




Interior



Carpet



Features



Power

INTERNAL Integrated within wall below desk: 2xGPO & 1 x USB C and 1x USB, manual flick switches for ventilation and lighting
EXTERNAL Allow 3m cable from back left corner
SOFT WIRING Standard AU power double GPO; Voltage:110-220V/50Hz
POWER 3 Pin AC Power inlet; Location: Wall back left

Ventilation

VENTILATION FAN 1x Variable speed fan with acoustic cover; Diameter: 200mm, Silent and Built-in Ventilation System

Acoustics

SOUND REDUCTION 32 dB (Speech level reduction according to ISO 23351-1 testing method)

Certifications



Medium Booth




Tech Specs

Medium

Capacity	1-2 Person
Internal Dimensions (mm)	1340w x 1250d x 2140h
External Dimensions (mm)	1500w x 1286d x 2300h
Glass panels	Double laminated (6mm + 1mm + 4mm)
Door	855mm wide glass door with handle, Door type: Swing
Furniture Options	2 x upholstered stools & diagonal laminated or timber veneer table; 1 x wall-mounted desk & task chair
GPO USB Data	Wall-mounted: x2 GPO, x1 USB C and 1x Wireless Charging USB. Optional table top insert: 2 x GPO, 2 x USB, wireless charger
Lighting	1 x 16W LED – 3000k, CRI95+
Ventilation & Airflow	Variable speed fan with integrated acoustic cover
Lighting & Ventilation Operation	Motion sensor with variable speed fan control
Power Usage	15.6 watts
Weight	387kg
Acoustic Treatment	27mm bevel edge acoustic panels (dark grey) Acoustically treated exhaust port and acoustic cover to fan ports

Dimensions




Furniture Options

OPTION 1: TWO PERSON CONFIGURATION



Regular Table

It is designed to provide space for a laptop, a notebook has mobile charging capabilities whilst working or taking part in a call.
Table size: 1340 x 400 x 30 mm (height, width, depth).
Material: White laminate top with white electrostatically coated base and legs.



Seats

Composition: 100% Polyester; Colour: Back rest Dark Grey 'Col. OL-40' and Seat Light Grey Col. OL- 21'.
Manufacturer: OTE Fabrics; Weight: 480g/m; Wight:145cm; Durability: 40,000 Martindale; Lightfastness: 4-5; Pilling Resistance: 4-5 (ISO 12945).

OPTION 1: TWO PERSON CONFIGURATION



Desk

It is designed to provide space for a laptop, a notebook has mobile charging capabilities whilst working or taking part in a call.
Table size: 430 x 1210 x 500 mm (height, width, depth).
Material: White laminate top with white electrostatically coated base and legs.



Chair


Composition: 100% Polyester; Colour: Back rest Light Grey 'Col. OL-21' and Seat Green Col. OL- 21'.
Manufacturer: OTE Fabrics; Weight: 480g/m; Wight:145cm; Durability: 40,000 Martindale; Lightfastness: 4-5; Pilling Resistance: 4-5 (ISO 12945).

Colours

Exterior




Interior Carpet




Seat

Chair


Features



QUICK ASSEMBLY



PLUG-& PLAY TECHNOLOGY



DOUBLE LAMINATED GLASS (6+1+4)MM



POWDER COATED GLASS EDGE



INTEGRATED VENTILATION



ALUMINIUM LEVER DOOR HANDLE



ALUMINIUM FRAMED DOOR



INTERNAL SWITCHES & SENSORS



HYDRAULIC DOOR CLOSERS



ABILITY TO PORT FIRE SERVICES

Power

INTERNAL

Integrated within wall below desk: x2 GPO, 1x USB C and 1x USB; Optional table top insert: 2 x GPO, 2 x USB, wireless charger; Manual flick switches for ventilation and lighting

EXTERNAL SOFT WIRING

Allow 3m cable from back left corner
 Standard AU power double GPO; Voltage:110-220V/50Hz and 12V-USB power supply system
 3 Pin AC Power inlet; Location: Wall back left

Ventilation

VENTILATION FAN

1x Variable speed fan with acoustic cover; Diameter: 200mm, Silent and Built-in Ventilation System

Acoustics

SOUND REDUCTION

32 dB (Speech level reduction according to ISO 23351-1 testing method)

Certifications



Large Booth

Our large booth comes with everything you need.




Tech Specs

Large

Capacity 1-4 Person including DDA compliant accessible option
 Internal Dimensions (mm) 2040w x 1550d x 2140h
 External Dimensions (mm) 2200w x 1586d x 2300h
 Glass panels Double laminated (6mm + 1mm + 4mm)
 Door 855mm wide glass door with handle, Door type: Swing
 Furniture Options 2 x upholstered bench seats with back & central laminated or veneer table; or 1 x wall-mounted desk & task chair
 GPO | USB | Data Wall-mounted: x2 GPO, x1 USB C and 1x Wireless Charging USB. Optional table top insert: 2 x GPO, 2 x USB, wireless charger
 Lighting 1 x 16W LED – 3000k, CRI95+
 Ventilation & Airflow Variable speed fan with integrated acoustic cover
 Lighting & Ventilation Operation Motion sensor with variable speed fan control
 Power Usage 30.4 watts
 Weight 562kg
 Acoustic Treatment 27mm bevel edge acoustic panels (dark grey) Acoustically treated exhaust port and acoustic cover to fan ports

Dimensions



Furniture Options



Table


Desktop Size: (L 1000xW 550xH 760) mm.
 Material: Birch Plywood, Melamine faced fireproof board surface treatment: Edge Sealed with Wood Wax Oil.
 Material Support: Cold Rolled Steel Surface Treatment: Electrostatic Powder Coating.



2 X Sofa

Composition: 100% Polyester; Colour: Back rest Dark Grey 'Col. OL-40' and Seat Light Grey Col. OL-21'.
 Manufacturer: OTE Fabrics; Weight: 480g/m; Wight:145cm; Durability: 40,000 Martindale; Lightfastness: 4-5; Pilling Resistance: 4-5 (ISO 12945).

Measurements



Colours

Exterior




Interior Carpet



Sofa



Features



Power

INTERNAL Integrated within wall below desk: x2 GPO, 1x USB C and 1x USB; Optional table top insert: 2 x GPO, 2 x USB, wireless charger;
 EXTERNAL Manual flick switches for ventilation and lighting
 SOFT WIRING Allow 3m cable from back left corner
 POWER Standard AU power double GPO; Voltage:110-220V/50Hz and 12V-USB power supply system
 3 Pin AC Power inlet; Location: Wall back left

Ventilation

VENTILATION FAN 1x Variable speed fan with acoustic cover; Diameter: 200mm, Silent and Built-in Ventilation System

Acoustics

SOUND REDUCTION 32 dB (Speech level reduction according to ISO 23351-1 testing method)

Certifications



Extra Large Booth

Your quiet space for undisturbed phone calls and deep work.




Tech Specs

Extra Large

Capacity 1-6 Person including DDA compliant accessible option
 Internal Dimensions (mm) 2040w x 2150d x 2140h
 External Dimensions (mm) 2200w x 2186d x 2300h
 Glass panels Double laminated (6mm + 1mm + 4mm)
 Door 855mm wide glass door with handle, Door type: Swing
 Furniture Options 2 x upholstered bench seats with back & central laminated or veneer table; or 1 x wall-mounted desk & task chair
 GPO | USB | Data Wall-mounted: x2 GPO, x1 USB C and 1x Wireless Charging USB. Optional table top insert: 2 x GPO, 2 x USB, wireless charger
 Lighting 1 x 16W LED – 3000k, CRI95+
 Ventilation & Airflow Variable speed fan with integrated acoustic cover
 Lighting & Ventilation Operation Motion sensor with variable speed fan control
 Power Usage 30.4 watts
 Weight 680kg
 Acoustic Treatment 27mm bevel edge acoustic panels (dark grey) Acoustically treated exhaust port and acoustic cover to fan ports

Dimensions





Furniture Options



Table


Desktop Size: (L 1000xW 550xH 760) mm.
 Material: Birch Plywood, Melamine faced fireproof board surface treatment: Edge Sealed with Wood Wax Oil.
 Material Support: Cold Rolled Steel Surface Treatment: Electrostatic Powder Coating.

Measurements



2 X SOFA

Composition: 100% Polyester; Colour: Back rest Dark Grey 'Col. OL-40' and Seat Light Grey Col. OL-21'.
 Manufacturer: OTE Fabrics; Weight: 480g/m; Wight:145cm; Durability: 40,000 Martindale; Lightfastness: 4-5; Pilling Resistance: 4-5 (ISO 12945).



Colours

Exterior




Interior Carpet



Sofa



Features



Power

INTERNAL Integrated within wall below desk: x2 GPO, 1x USB C and 1x USB; Optional table top insert: 2 x GPO, 2 x USB, wireless charger; Manual flick switches for ventilation and lighting
EXTERNAL SOFT WIRING Allow 3m cable from back left corner
 Standard AU power double GPO; Voltage:110-220V/50Hz and 12V-USB power supply system
POWER 3 Pin AC Power inlet; Location: Wall back left

Ventilation

VENTILATION FAN 1x Variable speed fan with acoustic cover; Diameter: 200mm, Silent and Built-in Ventilation System

Acoustics

SOUND REDUCTION 32 dB (Speech level reduction according to ISO 23351-1 testing method)

Certifications





Design Manufacture Create

Get In Touch

Sydney Office:

6-10 Phillips Road, Kogarah NSW 2217

Phone : 02 9517 4093

Melbourne Office:

101 Moray Street, South Melbourne VIC 3205

Phone : 0429 654 292

Website : www.mn8design.com

Email : sales@mn8design.com